

Refine Search

Search Results -

Terms	Documents
3036887	1

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L72

Refine Search

Recall Text

Clear

Interrupt

Search History

DATE: Wednesday, June 13, 2007

[Purge Queries](#)[Printable Copy](#)[Create Case](#)

<u>Set Name</u>	<u>Query</u>	<u>Hit Count</u>	<u>Set Name</u> result set
side by side			
<i>DB=EPAB; PLUR=YES; OP=OR</i>			
<u>L72</u>	3036887	1	<u>L72</u>
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>			
<u>L71</u>	03036887	5	<u>L71</u>
<u>L70</u>	03036881	3	<u>L70</u>
<u>L69</u>	1513302	8	<u>L69</u>
<i>DB=PGPB; PLUR=YES; OP=OR</i>			
<u>L68</u>	US-20050193061-A1.did.	1	<u>L68</u>
<i>DB=EPAB; PLUR=YES; OP=OR</i>			
<u>L67</u>	WO-2004102438-A2.did.	1	<u>L67</u>
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>			
<u>L66</u>	2004102438	5	<u>L66</u>
<u>L65</u>	2002102438	3	<u>L65</u>
<u>L64</u>	L58 and L63	17	<u>L64</u>

<u>L63</u>	xml and L62	98	<u>L63</u>
<u>L62</u>	((rout\$3 or pass\$3 or exchang\$3) near messag\$3) and L61	143	<u>L62</u>
<u>L61</u>	L30 and L60	264	<u>L61</u>
<u>L60</u>	business near messag\$3	1324	<u>L60</u>
<u>L59</u>	L57 and L58	5	<u>L59</u>
<u>L58</u>	(abstract\$3 or api or application near interface) near message	1124	<u>L58</u>
<u>L57</u>	xml and L56	91	<u>L57</u>
<u>L56</u>	L30 and L55	217	<u>L56</u>
<u>L55</u>	((rout\$3 or pass\$3 or exchang\$3) near messag\$3) with rules	879	<u>L55</u>
<u>L54</u>	@pd<20040312 and L53	19	<u>L54</u>
<u>L53</u>	namespace and L52	73	<u>L53</u>
<u>L52</u>	xml near tag with (abstract\$3 or api or application near interface or defin\$5)	629	<u>L52</u>
<u>L51</u>	xml near tag with ((receiver or recipient) near message)	1	<u>L51</u>
<u>L50</u>	xml near tag with ((receiver or receipient) near message)	0	<u>L50</u>
<u>L49</u>	xml near tag with (defin\$5 near ((receiver or receipient) near message))	0	<u>L49</u>
<u>L48</u>	xml near tag with ((defin\$5 or receiver or receipient) near message)	4	<u>L48</u>
<u>L47</u>	xml near namespace with messag\$3	28	<u>L47</u>
<u>L46</u>	xml near namespace and L45	3	<u>L46</u>
<u>L45</u>	L30 and L43	117	<u>L45</u>
<u>L44</u>	namespace and L43	36	<u>L44</u>
<u>L43</u>	defin\$5 with ((context or object) near message)	461	<u>L43</u>
<u>L42</u>	@pd<20040312 and L41	43	<u>L42</u>
<u>L41</u>	L38 and L40	68	<u>L41</u>
<u>L40</u>	(transparen\$2 or abstract\$3 or interface near application or api) near message	1530	<u>L40</u>
<u>L39</u>	L36 and L38	4	<u>L39</u>
<u>L38</u>	(message near (content or context or object)) with (datastore or database or storage or repository)	1885	<u>L38</u>
<u>L37</u>	namespace and L36	5	<u>L37</u>
<u>L36</u>	(transparen\$2 or abstract\$3 or interface near application or api) with (access near message)	90	<u>L36</u>
<u>L35</u>	(name and namespace) with (message near (content or context or object))	0	<u>L35</u>
<u>L34</u>	namespace and L33	4	<u>L34</u>
<u>L33</u>	@pd<20040312 and L31	147	<u>L33</u>
<u>L32</u>	re\$lus\$3 with (message near (content or context or object))	34	<u>L32</u>
<u>L31</u>	(transparen\$2 or abstract\$3 or interface near application or api) with (message near (content or context or object))	287	<u>L31</u>
<u>L30</u>	L25 or L26 or L27 or L28 or L29	52958	<u>L30</u>
<u>L29</u>	(719/313 719/314 719/315).ccls.	1795	<u>L29</u>
<u>L28</u>	(715/513 715/733 715/734 715/737 715/738 715/740 715/749 715/760).ccls.	5011	<u>L28</u>

<u>L27</u>	(709/201 709/202 709/203 709/204 709/205 709/206 709/207 709/217 709/218 709/219).ccls.	24397	<u>L27</u>
<u>L26</u>	(705/26 705/27).ccls.	6700	<u>L26</u>
<u>L25</u>	(705/1 705/2 705/3 705/4 705/5 705/6 705/7 705/8 705/9 705/10 705/11).ccls.	17916	<u>L25</u>
<i>DB=TDBD,DWPI,JPAB,EPAB,USOC,USPT,PGPB; PLUR=YES; OP=OR</i>			
<u>L24</u>	SCHLARB-UWE!	3	<u>L24</u>
<u>L23</u>	SCHLARB-UWE!	3	<u>L23</u>
<u>L22</u>	HILLENBRAND-THEA!	2	<u>L22</u>
<u>L21</u>	HILLENBRAND-THEA!	2	<u>L21</u>
<u>L20</u>	BEUNINGS-FRANK!	3	<u>L20</u>
<u>L19</u>	BEUNINGS-FRANK!	3	<u>L19</u>
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>			
<u>L18</u>	L16 and L17	18	<u>L18</u>
<u>L17</u>	(abstract\$3 or transparen\$2 or wrap\$4) near message	1262	<u>L17</u>
<u>L16</u>	((web or application) near server) with run\$1time and messag\$3	704	<u>L16</u>
<u>L15</u>	@pd<20040312 and L14	16	<u>L15</u>
<u>L14</u>	run\$1time with (messag\$3 or business near process) near (java or application)	93	<u>L14</u>
<u>L13</u>	run\$1time with (messag\$3 or business near process) near java near application	0	<u>L13</u>
<u>L12</u>	@pd<20040312 and L11	31	<u>L12</u>
<u>L11</u>	run\$1time adj engine with (messag\$3 or business near process)	70	<u>L11</u>
<u>L10</u>	L8 and L9	6	<u>L10</u>
<u>L9</u>	run\$1time adj engine	805	<u>L9</u>
<u>L8</u>	((encapsulat\$3 or wrap\$4) near messag\$4)	2451	<u>L8</u>
<u>L7</u>	business near message with (api or application near interface or abstract\$3)	32	<u>L7</u>
<u>L6</u>	business near message with (context or container or envelope)	30	<u>L6</u>
<u>L5</u>	6779184.pn.	2	<u>L5</u>
<u>L4</u>	677184.pn.	5	<u>L4</u>
<u>L3</u>	@pd<20040312 and L2	15	<u>L3</u>
<u>L2</u>	context with access\$3 near message	57	<u>L2</u>
<u>L1</u>	context near message with repository	25	<u>L1</u>

END OF SEARCH HISTORY